

Production line			
Manufacturing site			
Pack Tech approver	1 st	2 nd	
Date			
Check Criteria	Details & Comments	Checks	
Approvals		1 st	2 nd
Market Approval			
Regulatory Approval			
3rd Party Approval			
Technical Drawing/Cutter ref no.			
PPI component code correct on artwork?			
Correct drawing for the production line?			
Profile shape & dimensions			
Graphics layout/orientation			
Unwind diagram (PPTD1022/1-20)			
Printable areas/bleed			
Varnish free areas			
Variable coding position & dimensions			
Varnish and print requirements			
Pre-printed headers (alignment and suitability)			
Embossing, Braille & Foil Blocking			
Separations on artwork			
Alignment within cutter			
Braille structure			
Verification Code Type; Pharma Code / 2D / OCV			
Bar sequence and/or number correct Position			
Size (height, width, spacing, font)			
Direction of read			
Light margins and print free areas			
Colour			
Repeat distance (reeled material)			
Cross check related docs ie BOM			
Bar code Type; EAN, ITF, Code39, etc			
Magnification / width and height			
Colour (e.g. black print on white background)			
Light margins & indicators			
Bearer bars & H gauges (if required)			
Symbol grade (Pass = A,B,C; Action = D,F)			
Bar code number (human readable)			
Bar code number (encoded & hidden data)			
Confirm bar code number from source			
Cross check related docs (UDE/PID)			
Photo-electric cell mark / edge marks			
Present & per Tech drawing?			
Correct pitch?			
Additional markings			
e-mark, recycle logo etc			
Legend box (RB specification)			
Correct component code			
Correct D spec / has cutter changed?			
Correct printer / has printer changed?			
Correct Substrate			
A/W is set up appropriately for this substrate			
Edge mark details			
Pharmacode details			
Colours & print process			
Varnish			
Barcode information			
General details are correct			
Pass / Fail comments and Signature			
By approving the artwork referenced within this form I authorise it for release to the print supplier			
Additional Comments			

RB Artwork and Print Specification

Trident Reference No: RB345796

ZEN Ref: **TR1458651**

Action: **B**

Brand: Strepsils

Category: Throatcare

Segment Group: Intensive Honey & Lemon

Segment: 16 and 24

Pack Size: 16 and 24Pack

Market/Country: Netherlands

Date: 14/01/19

RBH Contact: Jillian Buckle

Artwork Type: IDM Commercial

Component Code (2D if applicable): **3084083**

Parent Technical Packaging Specification: D0069114

Finished Goods Code: **3018217**

Supply Point: RB Nottingham

Pharmacode No/NE: 0110110001(1456)

Edgemark Position: n/a

CAD Cam Ref: S-Lft-D0069114-296x192-XLRF

Printer: Multi Packaging Solutions (Tewkesbury, UK)

Substrate: Paper White

Technical & Non Printing Items

Cutter

Guides

Cutter 2 (if applicable)

Guides 2 (if applicable)

Colours (Leaflet)

Process Black

1

3/14

BARCODE INFO

Barcode Type: N/A

Barcode Number: N/A

Magnification: N/A

Truncated By: N/A

Full Height: N/A

Bar Height (Smallest Bar): N/A

BWR: N/A

Encoded Data: N/A



HEALTH • HYGIENE • HOME



Connaught House, Connaught Road,
Kingswood Business Park, Hull, HU7 3AP, England.
T: +44 (0) 1482 628100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY

Ryan Reilly

v2.0

Sm•Art check results:

G=2, O=0, R=0, - RR - 14/01/19 15:03:46

Version 003 19/9/2016